Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 1 of 11

Fig. 1




Fig. 2 - 12




Fig. 3 -図-3






Fig. 4 図4 Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 2 of 11




Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 3 of 11

Fig. 5 図 5




Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 4 of 11

Fig. 6 図 6



INTENSITY 多鉈

Fig. 7 図7 Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 5 of 11



OBLON Oblon, Spivak, et al. 703-413-3000 Docket # 293774US




Fig. 9

Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 7 of 11







Fig. 10 図10 Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 8 of 11












Fig. 12 図 1-2

Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 10 of 11





Oblon, Spivak, et al. 703-413-3000 Docket # 293774US Sheet 11 of 11



11/11

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.